

INDEX MAPS.

T. H

T. 11 N. R. 3 W. 2nd Mer.



T. 12 N. R. 3 W. 2nd Mer.



☞ The figures on the lines refer to the page.

Township No. 11. North of Range No. 3 West of the 2nd Mer. Land

Ch. Lks.	South Boundary	B 174
East	On a Random line, On the S. Boundary of Sec. 31. T. No 11 N.R. No. 3 W.	
17.00	To a Creek. 10 links wide, Course S.	
40.00	Set a temp.y Post for the cor. of ¼ Sec.	
80.00	Set a temp.y Post for the cor. of Sec. 31 & 32. T. No 11. N.R. No 3 W. Land Land Timber Poplar Beech &c.	
East	On a Random line On the South Bound.y of Sec. 32 T. No 11. N.R. No 3 W.	
26.50	To a Brook 12 links wide, Course N.	
40.00	Set a temp.y Post for the cor. of ¼ Sec.	
80.00	" " " " " " of Sec. 32 & 33. Land Land Stone Rock.	
East	On the 3rd mile, Random line S. Bound.y of Sec. 33. T. No 11. N.R. No 3 W.	
40.00	Set a temp.y Post for the cor. of ¼ Sec.	
42.50	To a Brook. 10 links wide, Course N.W.	
70.00	" " Creek. 75 " " " W.	
80.00	Set a temp.y Post for the cor. of Sec. 33 & 34 Poor hilly Beech Land; &c.	
East	On a Random line On the S. Boundary of Sec. 34. T. No 11. N.R. No 3 W.	
40.00	Set a temp.y Post for the cor. of ¼ Sec.	
80.00	" " " " " " " " Sec 34 & 35 Land Soil and timber Same as last mile.	
East	On a Random line On the South Bound.y of Sec. 35 T. No 11. N.R. No 3 W.	
22.50	To a Brook 20 links wide, Course S.W.	
40.00	Set a temp.y Post for the cor of ¼ Sec.	

T. N.o 11. N. R. N.o 3 W. 2nd Mer. Ind.

80.00	Set a temp.y Post for the cor. of sec. 35, 36. Sand & Timber same as last mile.
East	On a Random line on the South Boundary of sec. 36 T. N.o 11. N. R. N.o 3 W.
13.50	To a Brook. 40 links wide, Course S. W.
40.00	Set a temp.y Post for the cor. of sec.
80.00	Intersected the Range line between R.s 2. & 3 W. at the post cor. of T.s 10 & 11. N. Sand & rock and & timber same as last mile.
West	Corrected & marked the line between T.s 10. & 11 N. R. N.o 3 W.
West	On the true line On the South Boundary of sec. 36. T. N.o 11. N. R. N.o 3 W.
40.00	Set the temp.y Post on the true line for the cor. of 1/4 sec. from which a Walnut 9 in diam. bears N 59 W. 22 lks dist. and a Buckeye 12 " " " S 84 E. 81 " "
80.00	Set the temp.y Post on the true line for the cor. of sec. 35 & 36 from which a Sugar 14 in diam. bears S 75 E. 17 lks dist. and a Do. 12 " " " N 15 W. 30 " "
West	On the true line On the South Boundary of sec. 35 T. N.o 11. N. R. N.o 3 W.
40.00	Set the temp.y Post at the true line for the cor. of 1/4 sec. from which an Elm 24 in diam. bears S 65 E. 23 lks dist. and a Walnut 12 " " " S 74 W. 32 " "
80.00	Set the temp.y Post on the true line for the cor. of sec. 34 & 35 from which a Beech 16 in diam. bears S 13 E. 5 links dist. and a Do. 20 " " " N 12 W. 30 " "
West	On the true line for the South Boundary of sec. 34. T. N.o 11. N. R. N.o 3 W.

T. No. 11. N.R. No. 3 W. 2nd Prin. Md.

40.00	Set the temp.y post on the true line for the cor. of 14 sec. in Fallen Timber no bearings
80.00	Set the temp.y post on the true line for the cor. of sec. 33 & 34. T. No. 11. N.R. No. 3 W. 2nd Prin. from which Beech 10 in dia. bears N 81 E. 50 links dist.; & a Do. 16 " " " S 45 W. 32 " "
West	On the true line, on the South Boundary of sec. 33. T. No. 11. N.R. No. 3 W.
40.00	Set the temp.y post at the true line for the cor. of 14 sec. from which a Beech 6 in dia. bears N 30 W. 83 links dist; and a Do 14 " " " S 45 E. 34 " "
80.00	Set the temp.y post on the true line for the cor. of sec. 32 & 33 from which an Ash 14 in dia. bears N 19 E. 33 links dist; and a Do. 12 " " " S 43 W. 14 " "
West	On the true line on the South Boundary of sec. 32. T. No. 11 N.R. No. 3 W.
40.00	Set the temp.y post on the true line for the cor. of 14 sec. from which a Beech 9 in dia. bears S 53. W. 21 links dist. and a Sugar 14 " " " N 10 E. 23 " "
80.00	Set the temp.y post on the true line for the cor. of sec. 31 & 32. from which a Beech 16 in. dia. bears N 49 E 17 links dist; & a Do. 15 " " " S 40 W 31 " "
West.	On the true line on the S. Boundary of sec. 31. T. No 11. N.R. No. 3 W.
40.00	Set the temp.y post at the true line for the cor. of 14 sec. from which a Dogwood 3 in dia. bears S 85 E 2 links dist. and a Sugar. 12 " " " N 50 W. 15 " "
80.00	To the post cor. of Towns. 10 & 11. N.R. 3 & 4. W.

4

T. N°. 11. N.R. N°. 3 W. 2nd. Mer. Ind.a

East. Boundary

B.

North — On the East Boundary of sec. 36 T. N°. 11. N.R. N°. 3 W.

21.00 — Iron Creek. 50 links wide, Course S.W.

40.00 — Set a post for the cor. of 1/4 sec. from which a Hackberry 7 in. dia. bears S.1 E. 31 links dist; & a Elm 14 " " " S.49 W. 29 " "

80.00 — Set a post for the cor. of sec. 25 & 36 from which a W. Walnut 20 in dia. bears S.39 W. 20 lks dist; & a W. Oak. 30 " " " S.7 E. 1 " "

Sandy rich bottom; Timber Sugar. Ash, Beech & Walnut &c.

North — On the East Boundary of sec. 25. T. N°. 11 N.R. N°. 3 W.

40.00 — Set a post for the cor. of 1/4 sec. from which a Sugar. 14 in dia. bears S.81 E. 40 links dist; & a Do. 16 " " " N.86 W. 12 " "

59.22 — Intersected the N. Boundary line of Harrison's Purchase and set a post for the cor. of sec. 25. from which a Beech 14 in dia. bears S.34 W. 40 links dist; & a Do. 20 " " " N.53 E. 30 " "

V. 6°20' Surveyed by James Holmes D.S.

North — On the East Boundary of sec. 25. T. N°. 11. N.R. N°. 3 W.

Continued from the post set by Holmes.

20.28 — Set a post for the cor. of sec.s 24 & 25. A. Sugar 14 in Ldiam.r stands for the cor.

Sandy rich and good for farming.

North — On the East Boundary of sec. 24 T. N°. 11. N.R. N°. 3 W.

40.00 — Set a post for the cor. of 1/4 sec. from which a Beech 6 in dia. bears S.73 E. 14 links dist; & a Do. 30 " " " S.88 W. 33 " "

80.00 — Set a post for the cor. of sec. 13 & 24 from which a Sugar. 11 in dia. bears N.79 E. 17 lks dist; & a

T. N°. 11. N. R. N°. 3 W. 2nd Mer. (Ind.)

	Sugar 30 in diam. bears S 27 W. 34 links dist; Land rolling and good for farming; mch. ovb; Timber Sugar, Beech, Walnut, Ash, & Elm.
North 19.00	On the East Boundary of Sec. 13. T. N°. 11 N. R. N°. 3 W. To a Brook 12 links wide, Course N.
40.00	Set a post for the cor. of 1/4 Sec. from which a Beech 4 in diam. bears S 12 E. 13 links dist; Do. Do. 12 " " " N 65 E. 40 " "
80.00	Set a post for the cor. of Sec. 12 & 13. from which a W. Ash, 27 in. diam. bears S 21 E. 30 links dist; Do. Beech 18 " " " N 4 E. 30 " " Land rol and timber same as last mile.
North 40.00	On the East Boundary of Sec. 12 T. N°. 11. N. R. N. 3 W. Set a post for the cor. of 1/4 Sec. from which a Sugar 27 in diam. bears S 31 E. 11 links dist; Do. W. Walnut 8 " " " N 67 W. 5 " "
73.50	To a small Brook. Course E.
80.00	Set a post for the cor. of Sec. 1 & 12 from which a Beech 20 in. diam. bears N 10 W. 25 links dist; Do. Do. 27 " " " S 2 E. 18 " " Land & Same as last mile.
North 40.00	On the East Boundary of Sec. 1 T. N°. 11. N. R. N. 3 W. Set a post for the cor. of 1/4 Sec. from which a Beech 24 in diam. bears S 33 E. 23 links dist; Do. Do. 24 " " " S 54 W. 10 " "
71.23	To the Township Cor. for T°. 11. N. & T. 12. N. R. 2 & 3 W. Land & soil and timber Same as last mile.
	North Boundary
West	On a Random line - On the South Boundary of Sec 36.

a 27

T. N.o 11. N.R. N.o 3 W. 2nd Mer. Ind.a

T. N.o 12. N.R. N.o 3 W.

6.05 Ja a Brook 12 links wide, Course N.
28.00 Ja a Brook. — " " " N.E.
40.00 Set a timb.d Post for the cor. of ¼ Sec.
50.00 Ja a Brook 4 links wide, Course N.
80.00 Set a timb.d Post for the cor. of Sec. 35 & 36.
East ¾ 2nd rate land; Timber Beech Oak Ashe,
Sugr; W.st ¼ 1st. " for farming; Timber Sugr
Walnut &c

West On a Random line on the South Boundary of Sec. 35
T. N.o 12 N.R. N.o 3 W.
40.00 Set a timb.d Post for the cor. of ¼ Sec.
63.00 Ja a Brook 8 links wide, Course N.
67.00 " " No 6 " " " N.
80.00 Set a timb.d Post for the cor of Sec. 34 & 35.
Land East ¼ 1st rate; West ¼ 2nd rate; good for
farming;

West On a Random line on the South Bound.y of Sec. 34.
T. N.o 12 N.R. N.o 3 W.
40.00 Set a timb.d Post for the cor. of ¼ Sec.
45.00 Ja a small Brook, Course N.
80.00 Set a timb.d Post for the cor. of Sec. 33 & 34
Good 2nd rate land; Timber Beech, Sugr & Hickry

Sunday May. 31st 1819.

West On a Random line on the South Boundary of Sec. 33.
T. N.o 12. N.R. N.o 3 W.
22.00 Ja a Brook. 10 links wide Course N.
32.00 " " " 5 " " " 6 "
40.00 Set a timb.d Post for the cor. of ¼ Sec.
51.00 Ja a Brook. 10 links wide, Course N.

T. No. 11. N.R. No. 3 W. 2nd. Mer. (Sud.a)

80.00	Set a temp.y Post. for the cr. of sec. 32 & 33. Sande 2nd. rate; good for farming; Timber Beech, Sugm. & Poplar.
West	On a Random line On the South Bound.y of sec. 32 T. No. 12. N.R. No. 3 W.
26.00	To a Brook 10 links wide, Course N.
40.00	Set a temp.y Post for the cr. of ¼ sec.
67.00	To a Brook 10 links wide, Course N.
80.00	Set a temp.y Post for the cr. of sec. 31 & 32 Sande 2nd. rate; Part rather broken Timber Some Sande one dollar. for farming.
West	On a Random line (between Sec. 6 & 31.) On the S. Bound.y of sec. 31 T. No. 12. N.R. No. 3 W.
2.00	To a Brook. 10 links wide, Course N.
40.00	Set a temp.y Post for the cr. of ¼ sec.
54.12	Intersected the N. Boundary line of Harrison's Purchase 36 links South of the Old Corner on the Bound.y line. Sande Soil and timber same as last mile. Surveyed by William Harris D.S.
East	On the South Boundary of sec. 31. T. No. 12 N.R. No. 3 W.
6.00	Intersected the N. Boundary. line of Harrison's Purchase and set a post for the cr. of sec. 31. from which a Beech 3 in. dir. bears S 78 W 9 links dist; a.s Do. 3 " " " S 35 E. 12 " " May 4th 1811 Surveyed by Sal. Holmes D.S.
East	On the South Bound.y of sec. 31. On the true line. from the last named post by Holmes V. S.o 35'
14.16	Set the temp.y Post on the true line for the cr. of ¼ sec. from which a Beech 12 in. dir. bears S 86. 30 links dist; a.s and — Do 14 " " N 43 W 28 " "

T. No. 11. N. R. No. 3 W. 2nd Prin. Merid.

54.16	Set the temp.y post on the true line for the cor. of sec. 31 & 32 from which a Beech 14 in. dia. bears East 12 links dist.; & a Do. 12 " " " S. 68 W. 27 " "
East	On the true line between Secs. 31 & 32 on the S. Boundary of Sec. 32 T. No. 12. N. R. No. 3 W.
40.00	Set the temp.y post on the true line for the cor. of 1/4 sec. from which a Beech 14 in. dia. bears S. 78 E. 13 links dist. and a Do. 6 " " " N. 71 W. 17 " "
80.00	Set the temp.y post on the true line for the cor. of sec. 32 & 33 from which a Sugar 10 in. dia. bears — 53 W. 12 links dist.; & a Hackberry 7 " " " S. 22 E. 40 " "
East	On the true line on the South Boundary of Sec. 33 T. No. 12 N. R. No. 3 W.
40.00	Set the temp.y post on the true line for the cor. of the 1/4 sec. from which a T. Oak 30 in. dia. bears N. 72 W. 16 links dist.; & a Beech 24 " " " S. 18 E. 44 " "
80.00	Set the temp.y post on the true line for the cor. of sec. 33 & 34 from which a Beech 14 in. dia. bears S. 84 W. 17 links dist.; & a Do. 15 " " " N. 48 E. 22 " "
East	On the true line on the South Boundary of Sec. 34 T. No. 12. N. R. No. 3 W.
40.00	Set the temp.y post on the true line for the cor. of 1/4 sec. from which a Beech 12 in. dia. bears N. 15 E. 28 links dist. and a Do. 18 " " " S. 65 E. 31 " "
80.00	Set the temp.y post on the true line for the cor. of sec. 34 & 35 T. No. 12 N. R. No. 3 W. from which a

T. N.o 11 N.R. N.o 3 W. 2nd Prin. Surv.

	Beech 14 in dia. bears S 76 W. 18 links dist; Ta
	Sugar 27 " " " N 68 E 47 " "
East	On the true line on the S. Boundary of Sec. 35
	T. N.o 12 N.R. N.o 3 W.
40.00	Set the temp.y post on the true line for the cor. of 1/4 Sec.
	from which a Beech 8 in dia. bears N 83 E 9 links dist
	and a Sugar 14 " " " S 86 W. 28 " "
80.00	Set the temp.y post on the true line for the cor. of Sec. 35 &
	36 T. N.o 12. N.R. N.o 3 W. from which a
	W Walnut. 14 in dia. bears S 84 W. 24 links dist; Ta
	Sugar. 18 " " " S 86 E 28 " "
East	On the true line on the S. Boundary of Sec. 36
	T. N.o 12 N.R N.o 3 W.
40.00	Set the temp.y post on the true line for the cor. of 1/4 Sec.
	from which a Hick.y 12 in dia. bears S 61 W. 16 lks dist;
	and a Sallow 5 " " " N 47 E. 12 " "
80.00	Set a post for the cor. of T.s. 11 & 12. N.R.s. N.o 2 & 3 W. from
	which a Beech 14 in dia. bears N 44 W. 17 links dist
	and a Do 14 " " " S 62 E 12 " "

West Boundary

B178

North	On the East Boundary of Sec. 36. T. N.o 11 N.R. N.o 4 W.
	from the cor. of T.s N.o 10 & 11 N.R.s N.o 3 & 4 W.
40.00	Set a post for the cor. to 1/4 Sec from which a
	Beech 17 in. dia. bears. N 65 W. 14 links dist. cor
	Do. 3 " " " S 66 E. 10 " "
54.00	Low Brook 8 links wide, Course N.E
80.00	Set a post for the cor of Sec. 25 & 36 from which a
	Beech. 3 in dia. bears S 13 E. 14 links dist; Ta
	Hoggroode 3 " " " N 41 W. 13 " "
	Good Beech land;

T. № 11. N.R. № 3 W. 2nd Mer. Ind.

North	On the East Boundary of Sec. 25. T. № 11. N.R. № 4 W.
16.50	To an ash 24 in diam. Stands on the line
40.00	Set a post for the cor. of ¼ Sec. from which a
	Dogwood 3 in diam. bears N 23 E. 15 lks distt; & a
	Beech 4 " " " S 65 W. 31 " "
80.00	Set a post for the cor. of Sec. 24 & 25 from which a
	Beech 6 in diam. bears S 15 E 11 links distt; & a
	Do. 5 " " " N 23 W. 12 " "
	Lands level and timber same as last mile

North	On the East Boundary of Sec. 24. T. № 11. N.R. № 4 W.
40.00	Set a post for the cor. of ¼ Sec. from which a
	Beech 14 in. diam. bears S 83 W. 12 links distt; & a
	Do 6 " " " N 31 E. 20 " "
80.00	Set a post for the cor. of Sec 13 & 24 from which a
	Beech 14 in. diam bears N 3 E. 22 links distt; & a
	Do. 4 " " " S 10 E 21 " "
	This mile good Beech land.

North	On the East Boundary of Sec. 13. T. № 11. N.R. № 4 W.
40.00	Set a post for the cor of ¼ Sec. from which a
	Beech 4 in diam bears N 14 W. 22 links distt; & a
	Do 6 " " " S 71 E. 5 " "
61.00	Low Beech 16 in diam. Stands in the line
64.00	" " Brook 12 links wide, Course S W.
76.00	" " Do. 17 " " " S W
80.00	Set a post for the cor of Sec. 12 & 13 from which a
	Beech 16 in diam bears S 47 W. 16 links distt; & a
	Do. 16 " " " Each 60 " "
	Lands poor; Limbs Beech.

North	On the East Boundary of Sec. 12. T. № 11. N.R. № 4 W.
29.50	To a W. Oak 24 in diam. Stands in the line

T. N.o 11. N.R. N.o 3 W. 2nd Mer. Ind.a

33.50	Ira Brook. 10 links wide, Course S.W.
40.00	Set a post for the cor. of 1/4 sec from which a Beech 3 in diam. bears S 39 E. 22 links dist; a Dogwood 3 " " " N 83 W. 23 " "
80.00	Set a post for the cor. of sec. 1. & 12 from which a Beech 9 in diam. bears S 53 E. 9 links dist; a Do. 4 " " " N 48 W. 15 " " Pretty good Beech land.

North Outline East Boundary of sec. 1. T. N.o 11. N.R. N.o 4 W.

23.01	Ira Walnut 15 in diam. stands on the line.
40.00	Set a post for the cor. of 1/4 sec. from which a Beech 17 in diam. bears S 28 W. 23 links dist; a Do. 5 " " " N 19 E. 13 " "
80.00	Set a post for the cor. of Town. 11. N. & 12. N. R. 3 W. 4 W. from which a Beech 5 in diam. bears S 27 E. 27 links dist; a Do. 14 " " " N 45 W. 17 " " Land level Some Beech, Poplar &c

Surveyed by
James Holmes Ld. S.

Subdivisions

November 9th 1815 V. F. 00

North	Between Sec. 35. & 36. T. N.o 11. N.R. N.o 3 W.
36.00	Ira a Brook. 8 links wide, Course S.E.
40.00	Set a post for the cor. to 9 & 11 sec. from which a Sugar 8 in diam. bears S 16 W. 6 links dist; a Do. 8 " " " S 74 E. 21 " "
80.00	Set a post for the cor of sec. 25. 26. 35 & 36. from which a Beech 3 in diam. bears S 18 E. 20 links dist; a Do. 14 " " " N 35 W. 16 " " Land low and hilly; Soil rich; Good for farming

12

T. N°. 11. N.R. N°. 3 W. 2nd Mer. Ind.a

Timber Beech. Sugar. Poplar. & Ash.

East	On a Random line between Sec. 25 & 36. T. N°. 11 N. R. 3 W. v. 6.00
32.50	Ir. a Brook. 3 links wide, Course S.E.
40.00	Set a temp.y post for the cor. of ¼ Sec.
55.00	Ir. a Brook. 20 lks wide, Course S.
80.59	Intersect the N 85° W. line. 22 links South of the post cor. of Sec. 25, 36. Land dry and timber same as last mile
West	On the true line between Sec. 25, 36. T. N°. 11. N.R. N°. 3 W.
40.26	Set the temp.y post at the aver. dist. on the true line for the cor. of ¼ Sec. from which
	Beech 15 in dia.r brs. S 80 E. 15 links dist; &
	Do. 30 " " " N 65 W. 55 " "
80.59	To the post cor. of Sec. 25, 26, 35, 36.
West	Between Sec. 26 & 35. T. N°. 11. N.R. N°. 3 W. V. 6.00
40.00	Set a post for the cor. of ¼ Sec. from which
	Dogwood 5 in dia.r brs. N 12 E. 6 lks dist; &
	Sugar. 6 " " " N 22 W. 7 " "
62.50	Ir. a Spring branch. Course S.
70.00	" " " " " "
80.00	Set a post for the cor. of Sec. 26, 27, 34 & 35 from which
	Beech 7 in dia.r brs. S 22 W. 17 links dist; &
	W. Ash. 14 " " " N 24 E. 15 " "
	This mile part rolling, & part broken with low steep hills
	Timber Beech, Sugar, Poplar &c
South	On a Random line between Sec. 34 & 35. T. N°. 11 N. R. 3 W. v. 7.00
20.00	Ir. a Brook. 6 links wide, Course S.E.
40.00	Set a temp.y post for the cor. of ¼ Sec.
81.00	Intersect the E & W. line 29 lks West of the post cor. of Sec. 34 & 35. Land broken Timber same good soil

T. N. 11. N.R. N. 3 W. 2nd Prin. Mer.

North 40.50 — On the true line between Sec. 34 & 35 T. N. 11. N.R. N. 3 W. Set the temp. y. post at the corner duly on the true line for the cor. of 1/4 Sec. from which a Buck 10 in. diam. bears N 10 E. 31 links dist. & a Do. 18 " " " S 45 W. 25 " "
81.00 — To the post cor. of sec. 26. 27. 34 & 35.

North 40.00 — Between Sec. 26 & 27. T. N. 11. N.R. N. 3 W. Set a post for the cor. of 1/4 Sec. from which a Buck 12 in. diam. bears S 82 E. 9 links dist.; & a Do. 18 " " " S 66 W. 26 " "
80.00 — Set a post for the cor. of sec. 22 23. 26 & 27 from which a Sugar 18 in. diam. bears N 2 E. 24 links dist.; & a Do. 9 " " " South 24 " "
South for part of this mile, land Buck land; North for rem. Trees Buck, Sugar, Ash, Walnut &c, soil rich and good for farming;

East 40.00 — On a Random line between Sec. 23 & 26 T. N. 11. N.R. N. 3 W. Set a post for the cor. of 1/4 Sec. from which a Buck 8 in. diam. bears N 54 E. 27 links dist.; & a Do. 24 " " " S 32 W. 14 " "
60.00 — To a Brook 10 links wide, Course N.E.
70.00 " " " " 4 " " " N.W.
80.00 — Set a post for the cor. of sec. 23. 24 25, & 26 from which a Buck 10. in. diam. bears. N 60. W. 19 links dist. & a Do. 15 " " " S 64 E. 25 " "
Most of this mile pt. rate soil; good for farming. Some Limb holes. Trees same as last mile.

South 9.00 — On a Random line between Sec. 25 & 26 T. N. 11. N.R. 3 W. To a Spring branch Course N.E.
14.00 " " Do. " " " N.E.

T. N°. 11. N. R. N°. 3 W. 2nd Mer. (Incl.)

36.00	To a spring branch, Corner N.E.
40.00	Set a trees Post for the cor. of ¼ sec.
80.43	Intersect the E. & W. line 53 links East of the post set for the cor. of sec. 25, 26, 35 & 36. North ¼ of this mile rather broken & South ¼ low hills not bad ground for farming; Timber same as last mile.

North	On the true line between Sec. 25 & 26 T. N°. 11. N. R. N°. 3 W.
40.21	Set the trees Post at the corn. ends on the true line for the cor. of the ¼ sec. From which Ingan. 9 in. diam. bears N. 86 E. 8 links dist.; & a Beech 14 " " " N. 69 W. 12 " "
80.43	To the post cor. of sec. 23, 24, 25 & 26

East	Between Sec. 24 & 25 T. N°. 11. N. R. N°. 3 W.
18.00	To a Brook 21 links wide, Course S.
40.00	Set a post for the cor. of ¼ sec. from which a Beech 9 in. diam. bears S. 30 E. 10 links dist.; & a Do. 18 " " " N. 53 W. 21 " "
51.96	Intersect the N. Boundary line of Harris's Purchase and set a post for the cor. of sec. 24 & 25 from which a Beech 8 in. diam. bears S. 41 W. 25 links dist.; & a Do. 5 " " " N. 87 E. 15 " " Course similar to the last mile; rather broken.

North	Between Sec. 23 & 24 T. N°. 11. N. R. N°. 3 W. v. 6.40
38.66	Intersect the N. Boundary line of Harris's Purchase for the cor. of sec. 23 & 24 post. From which a Hackberry 14 in. diam. bears S. 54 E. 21 links dist.; & a Do. 15 " " " S. 52 W. 40 " " Course 14th rate; a little broken.

North	Between Sec. 22 & 23 T. N°. 11. N. R. N°. 3 W. v. 6.40

T. No. 11. N. R. No. 3 W. 2nd Mer. Ind.

40.00 Set a post for the cor. of 14 sec. from which a Beech 14 in. dia. bears S 70 W. 13 links dist; a Do. 12 " " " N 33 E. 26 " "

8.00 Set a post for the cor. of sec. 14, 15, 22, & 23. from which a Beech 9 in. dia. bears S 51 E. 8 links dist; a Do. 8 " " " S 88 W. 27 " "

Land low hills; rolling 1st rate soil. Timber same

West Between Sec. 27. & 34 T. No. 11. N. R. No. 3 W. v. 6.40

2.50 To a spring Branch. Course S.

40.00 Set a post for the cor. of 14 sec. from which a Beech 11 in. dia. bears N 48 E. 34 links dist; a Do. 13 " " " S 54 W. 9 " "

8.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which a W. Beech 5 in. dia. bears N 25 E. 10 links dist; a Sugar 9 " " " S 21 W. 28 " "

Land level & 2nd rate; middling good for farming Timber Beech, Sugar, Poplar, & Hickory.

South A random line between Sec 33 & 34. T. No. 11. N. R. 3 W.

40.00 Set a temp. post for the cor. of 14 sec. v. 7.30

66.00 To a spring branch. 8 links wide, Course N.

76.00 " " " 8 " " " "

80.50 Intersect the E. & W. line 11 links West of the post cor. of Sec. 33 & 34. Land good for farming N. & South for very broken; Timber same as last mile.

North On the true line between Sec. 33 & 34 T. No. 11. N. R. No. 3 W.

40.25 Set the temp. post at the corn dish on the true line for the cor. of 14 sec. from which an Elm 8 in. dia. bears N 1 E. 25 links dist; a Sugar 14 " " " S 12 E. 34 " "

80.50 To the north cor. of sec. 27. 28. 33 & 34

T. N.o 11. N.R. N.o 3 W. 2nd Mer. Land.s

North	Between Sec.s 27 & 28. T. N.o 11. N.R. N.o 3 W. v. 640
32.00	To a Brook 8 links wide, Course W.
40.00	Set a post for the cor.s of 1/4 sec.s from which
	Maple 7 in diam.r bears S 56 W. 12 links dist.; Ma.s
	Poplar 14 " " " S 18 W. 14 " "
44.00	To a Spring: Course W.
49.00	" " " " W.
80.00	Set a post for the cor.s of sec.s 21. 22, 27, & 28 from which
	a Beech 9 in diam.r bears S 42 E. 29 links dist.; Ma.s
	Do 10 " " " N 35 W. 19 " "
	Lands part broken & part good for farming.

East	On a Random line between Sec.s 22 & 27 T. N.o 11. N.R. N.o 3 W.
6.00	To a Brook. 10 links wide, Course N. W.
40.00	Set a temp.y post for the cor.s of 1/4 sec.s
79.65	Intersect the N. & S. line 70 links S. of the post cor.s of
	Sec.s 22, 23, 26 & 27. Lands high and good for
	farming; Timber Beech, Sugar, Oak.s

West	On the true line between Sec.s 22 & 27 T. N.o 11. N.R. N.o 3 W.
39.82	Set the temp.y post at the cor.s which on the true
	line for the cor.s of 1/4 sec.s from which V. T. 10"
	Beech 15 in diam.r bears S 72 E. 15 links dist.; Ma.s
	R. Oak 30 " " N 50 W. 3 " "
79.65	To the post cor.s of sec.s 21. 22, 26 & 27.

North	Between Sec.s 21 & 22 T. N.o 11. N.R. N.o 3 W. v. 640
2.00	To a Brook. 10 links wide, Course W.
12.00	" " " 8 " " " W.
40.00	Set a post for the cor.s of 1/4 sec.s from which
	Beech 6 in. diam.r bears S 57 E. 12 links dist.; Ma.s
	Do 4 " " " S 62 W. 9 " "
80.00	Set a post for the cor.s of sec.s 15. 16 21 & 22 from which

T. No. 11. N.R. No. 3 W. 2nd Mer. Ind.

	Beech 12 in dia. bears S 58 E. 24 links dist; Ba
	Do. 13 " " " N 37 W. 26 " "
	Lands middling level and good for farming.
	Timber same as last mile.
East	On a Random line between Sec 15 & 22 T. No. 11. N.R. 3 W.
40.00	Set a temp.y post for the cor. of 1/4 Sec. V. 6.40
78.94	Intersect the N B/S line 12 links South of the post cor. of Sec.
	14. 15. 22. & 23.
	Lands similar to the last mile. rather broken
West	On the true line between Sec 15. & 22 T. No. 11. N.R. No. 3 W.
39.47	Set the temp.y post at the corr. dist on the true line for
	the cor. of 1/4 Sec. from which
	Sugar 12 in dia. bears S 66. E. 38 links dist; Ba
	Do. 18 " " " N 53 W. 17 " "
78.94	To the post cor. of Sec. 15. 16 21. & 22
East	Between Sec. 14. & 23. T. No. 11. N.R. No. 3 W.
2.50	To a Brook. 12 links wide, Course S.E.
23.16	Intersect the N Boundary of Harris's Purchase last
	a post for the cor. of Sec. 14 & 23 from which
	Beech 6 in. dia. bears S 82 W. 11 links dist; Ba
	Sugar 24. " " " S 25 E. 16 " "
	Lands good for farming
North	Between Sec 14 & 15. T. No. 11. N.R. No. 3 W. V. 6.40
17.33	Intersect the N Boundary line of Harris's Purchase
	Set a post for the cor. of Sec. 14 & 15 from which
	Beech 14 in dia. bears N 13 W. 13 links dist; Ba
	Do. 16 " " " S 53 E. 27 " "
	Lands good for farming.

T. N°. 11. N. R. N°. 3 W. 2nd. Mer. Ind.

North	Between Sec. 32 & 33. T. N°. 11. N. R. N°. 3 W. v. 730
40.00	Set a post for the cor. of ¼ Sec. from which a
	Beech 12 in. diam. bears S.E. 50 links dist; a
	Hickory 13 " " " N.60 E. 13 " "
59.00	To a Brook 20. links. wide; Course E.
65.00	" " " 15. " " " S.E.
80.00	Set a post for the Cor. of Sec. 28. 29. 32. & 33. from which
	a Beech 8. in. diam. bears S. 62. W. 16. links. dist. & a
	Sugar 12. " " " N. 7. W. 13 " "
	This mile low hilly Land; rich soil. & middling good
	for farming. Timber. B. Walnut &c.

East	On a Random line between Sec. 28. & 33. T. N°. 11. N. R. N°. 3. W.
40.00	Set a temp'y. post for the cor. of ¼ Sec.
60.00	To a Brook 12. links. wide; Course S.
79.57	Intersected the N. & S. line at the post cor. of Sec.
	27. 28. 33. & 34. T. N°. 11. N. R. N°. 3. W.
	Land, soil & timber same as last mile some of it rather broken

West	On the true line between Sec. 28. & 33 T. N°. 11. N. R. N°. 3. W.
39.78	Set a post on the true line (temp'y.) at the aver. dist. for the
	Cor. of ¼ Sec. from which a
	W. Walnut 10. in. diam. bears N. 7. W. 23. links. dist. & a
	Beech 20. " " " S. 73. E. 50. " " V. 6½
79.57	To the post for the Cor. of Sec. 28. 29. 32. & 33.

North	Between Sec. 28. & 29. T. N°. 11. N. R. N°. 3 W. v. 640
40.00	Set a post for the Cor. of ¼ Sec. from which an
	Ironwood 4. in. diam. bears S. 43. E. 20 links dist. & a
	W. Oak 6. " " " S. 82. W. 10. " "
80.00	Set a post for the Cor. of Sec. 20. 21. 28. & 29. from which
	a Beech 12. in. diam. bears S. 12. E. 18. links. dist. & a
	Do 9. " " N. 47. E. 39. " "

cor. 375

T. N.o 11. N. R. N.o 3 W. 2nd Mer. Land.s

	Land Soil & timber same as on the last mile.
East	On a Random line between Sec.s 21. & 28. T. N.o 11. N. R. N.o 3 W.
40. 00	Set the temp.y post for the Cor. of 1/4 Sec.
66. 00	To a Brook 9. links wide. Course S.
79. 35	Intersected the N. & S. line 56. links N. of the post cor.s of Sec.s 21. 22. 27. & 28. T. N.o 11. N. R. N.o 3. W. The land on this mile middling level.; 1st rate soil; Timber Walnut Beech Sugar. Poplar. &c. &c.
West	On the true line between Sec.s 21. & 28. T. N.o 11. N. R. N.o 3. W.
39. 67	Set the Temp.y post at the aver. dist.e on the true line for the Cor. of 1/4 Sec.s from which a Sugar 14. ins. diam.r bears S. 55. E. 8. links dist.t & a Do 12. " " " N. 14. W. 23. " "
79. 35	To the post set for the Cor.s of Sec.s 20. 21. 28. & 29.
North	Between Sec.s 20. & 21. T. N.o 11. N. R. N.o 3. W. 2nd Mer.
0. 50	To a Spring — links wide; Course W.
5. 00	" " Brook 8. " " " S. W.
40. 00	Set a Post for the Cor. of 1/4 Sec. from which a Buck 9. ins. diam.r bears South 13. links dist.t & an Elm 5. " " " " N. 18. W. 9. " " "
49. 00	To a Brook 15. links wide. Course S. W.
80. 00	Set a Post for the Cor. of Sec.s 16. 17. 20. & 21. from which a Sugar 15. ins. diam.r bears S. 51. E. 26. links. dist.t & a Buck 20. " " " N. 49. W. 57. " " The North 3/4. first rate Land.
West	Between Sec.s 29. & 32. T. N.o 11. N. R. N.o 3. W. 2nd Mer.
5. 50	To a Brook 10. links wide; Course S. W. 26.
40. 00	Set a Post for the Cor. of 1/4 Sec. from which a Sugar 18. ins. diam.r bears N. 63. W. 14. links dist.t & a

T. N.o 11. N. R. N.o 3 W. 2nd Mer. Ind.a

	Sugar 12 in. diam. bears S. 40. E. 17. links dist.
58. 00	To a Buck 15. links wide. Course S. W.
80. 00	Set a post for the Cor. of Sec. 16. 17. 20. & 21. from which a Sugar 15. in. diam. bears S. 51. E. 26. links dist. & a Buck 20. " " " N. 49. W. 57. " " North 3/4. first rate Land

---

West	Between Sec. 29. & 32. T. N.o 11. N. R. N. 3. W. V. 6'20
5. 50	To a Brook 10 links wide, Course S.
40.00	Set a post for the cor. of 1/4 sec from which a Sugar. 18 in diam bears N. 63 W. 14 links dist; & a Do 12 " " " S. 40 E. 17 " "
58.00	To a Brook 15 links wide, Course S.
80.00	Set a post for the cor. of sec 29. 30. 31. & 32 from which a Sugar. 9 in diam bears N. 13 E. 4 links dist; & a Do. 16 " " " N. 86 W. 11 " . Low hilly lands; & some what broken. Pl. rate Land: Timber Same as last mile.

South	On a Random line between Sec 31 & 32 T. N.o 11 N. R. 3 W.
20.00	To a Brook 12 links wide, Course E.
40.00	Set a temp.y post for the cor. of 1/4 sec.
79.96	Intersect the E. & W. line 30 links West of the post cor. of sec. 31 & 32 Land low hilly & some what broken. Timber Buck, Sugar, Poplar, &c.

North	On the true line between Sec 31 & 32 T. N.o 11 N. R. N. 3 W.
39.98	Set the temp.y post at the corn. dist. on the true line for the cor. of 1/4 sec from which Buck. 14 in diam bears S. 89 W. 22 links dist; & a Do. 14 " " " N. 1 E. 20 " "
79.96	To the post cor of sec. 29. 30. 31 & 32

T. N.° 11. N. R. N.° 3 W. 2.nd Mer. Iowa.

West	Between Sec. 30 & 31. T. N.° 11. N. R. N.° 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a
	Elm 11 in dia. bears N 70 E. 3 links dist; & a
	Ho. 18 " " " S 2 E 11 " "
73.20	Intersected the N. Boundary of the post cor. of sec.
	25 & 36 T. N.° 11. N. R. N.° 4 W.
	E 1/2 of this mile is broken; West 1/2 land.
	Soil is Beech, Poplar, Sugar &c.

North	Between Sec 29 & 30. T. N.° 11 N. R. N.° 3 W. v. 640
22.50	To a Brook 20 links wide, Course S.E.
40.00	Set a post for the cor. of 1/4 sec. from which cor
	Elm 9 in dia. bears S 5 W. 11 links dist; & a
	Coffeenut 9 " " " N 20 E. 34 " "
80.00	Set a post for the cor. of sec. 19. 20. 29 & 30 from which
	a Sugar 12 in dia. bears N 65 E. 32 links dist; & a
	Ho 18 " " " N 61 W 26 " "
	Land rather broken. 4th rate soil. Soil is Beech.
	Sugar, Poplar Walnut &c.

East	Can. Random line between Sec. 20. & 29 T. N.° 11. N. R. 3 W.
40.00	Set a temp.y post for the cor. of 1/4 sec.
72.00	To a Brook. 15 links wide, Course S.
79.62	Intersect the N. 1/4 line at the post cor. of sec. 20 21.
	28 & 29. Low hilly lands; 2.nd rate soil; good
	for farming; Soil is same.

West	On the true line between Sec. 20. & 29 T. N.° 11. N. R. N.° 3 W.
39.81	Set the temp.y post at the corn. dist on the true line for
	the cor. of 1/4 sec. from which a
	Wal. 4 in dia. bears S 1/2 E. 18 links dist; & a
	Sugar. 13 " " " N 23 E 27 " "
79.62	To the post cor. of sec. 19. 20. 29 & 30.

T. N° 11. N. R. N° 3 W. 3rd Mer. Land

West — Between Sec. 19 & 30 T. N° 11. N. R. N° 3 W. v. 6 30
9.00 — Trail Brook. 15 links wide, Course S.
32.00 — " " " 8 " " " S.E.
40.00 — Set a post for the cor. of 4 Sec. from which
Sugar 12 in. dia. brs. N 13 E. 5 links dist; to
Buck. 9 " " " S 39 W 33 " "
72.00 — Intersect the N 8 S line 40 links N. of the post cor. of
Sec. 24 & 25 T. N° 11 N. R. N° 4 W. and set a post
for the cor. of Sec. 19 & 30 from which
W Walnut 36 in dia. brs N 81 E. 20 links dist; to
Sugar 14 " " " S 35 W. 7 " "
Land first and timber same as the last mile.

North — Between Sec 19 & 20 T. N° 11. N. R. N° 3 W.
40.00 — Set a post for the cor. of 4 Sec. from which
Sugar 15 in dia brs. N 35 E. 25 links dist; to
Hickory 24 " " " S 50 W. 18 " " "
52.00 — Trail Brook. 4 links wide, Course W.
80.00 — Set a post for the cor. of Sec. 17. 18. 19 & 20 from which
Buck. 7 in dia brs South. 3. links dist; to
Sugar 24 " " " North 20 " "
Good farming land 2nd rate; Sml. Timber same
as last mile.

West — Between Sec. 18 & 19 T. N°. 11. N. R. N°. 3 W. v. 6 30
16.00 — Trail Brook 8 links wide, Course S.
40.00 — Set a post for the cor. of 4 Sec. from which
Buck. 14 in dia. brs N 36 W. 7 links dist; to
Elm 14 " " " S 5 W. 29 " "
71.16 — Intersect the N 7 S line 26 link N. of the post cor. of
Sec. 13 & 24 T. N°. 11. N. R. N°. 4 W. and set a post
for the cor. of Sec. 18 & 19 from which
Buck. 14 in dia brs. S 7 E. 3 links dist; to

T. N°. 11 N. R. 6. N°. 3 W. 2nd Mer. Iowa.

	Ironwood 5 in diam. bears N 35 W. 25 links dist.; Sandstone broken rock soil.; Timber same.
East 40.00	On a Random line between Sec. 17 & 20 T. N°. 11 N. R. 3 W.
79.76	Set a temp. N°. 1 Post for the cor. of 1/4 sec. V. 6° 30'
	Intersect the N. B. line 4 links North of the post cor. of sec. 16. 17. 20 & 21.
	Sandstone rock & gravel for mixing; Timber same.
West 39.88	On the true line between Sec. 17 & 20 T. N°. 11 N. R. N°. 3 W.
	Set the temp. N°. 1 Post at the corn. dist. on the true line for the cor. of 1/4 sec. From which a
	Beech 9 in diam. bears S 25 E. 4 links dist.; & a
	Do. 10 " " " N 10 W. 19 " "
79.76	To the post cor. of sec. 17. 18. 19 & 20.
East 10.00	On a Random line between Sec. 16 & 21. T. N°. 11 N. R. N°. 3 W.
	To a Brook 20 links wide, Course S.
40.00	Set a temp. N°. 1 Post for the cor. of 1/4 sec.
78.47	Intersect the N. B. line 33 links North of the post cor. of sec. 15. 16. 21 & 22.
	Sandstone soil and timber same as last mile.
West 39.23	On the true line between Sec. 16 & 21. T. N°. 11 N. R. N°. 3 W.
	Set the temp. N°. 1 Post at the corn. dist. on the true line for the cor. of 1/4 sec. From which a
	Sugar 12 in diam. bears S 14 W. 14 links dist.; & a
	Ash 12 " " " N 60 E. 14 " "
78.47	To the post cor. of sec. 16. 17. 20. & 21.
North 37.00	Between Sec. 15 & 16. T. N°. 11 N. R. N°. 3 W. V. 6° 40'
	To a small brook. Course N.
40.00	Set a post for the cor. of 1/4 sec. From which a

D. No. 11. N.R. No. 3 W. 2nd Mer. Land

Beech. 5 in dia. brs. S 8 W 18 links dist; to a
Sugar. 12 " " " S 31 E 27 " "
60.00 To a Brook. 10 links wide, Course S W.
77.83 Intersect the N Boundary line of Harrison's Purchase
and set a post for cor. of sec. 15 & 16. From which
Beech 27 in dia. brs. N 44 E. 13 links dist; to
Do 5 " " " S 22 W. 30 " "
Land level. Timber same, 2nd rate soil.

North Between Secs 16 & 17. T. No. 11 N.R. No. 3 W. V. T. 05.
40.00 Set a post for the cor. of 1/4 sec. From which
Beech 9 in dia. brs. N 87 W. 5 links dist to
Sugar. 18 " " " S E. 17 " "
48.00 To a Brook. 8 links wide, Course S E.
51.00 Set a post for the cor. of sec. 8. 9. 16 & 17 From which
Beech. 9 in dia. brs N 56 W. 18 links dist; to
Do. 18 " " " S 62 E. 18 " "
Land level and part rolling. 2nd rate
soil Timber Beech. Sugar. Poplar Ash &c.

East Between Secs 9 & 16 T. No. 11 N.R. No. 3 W.
8.00 To a Brook 10 links wide, Course S. E.
40.00 Set a post for the cor. of 1/4 sec. From which
Beech 11 in dia. brs. N 80 E. 20 links dist; to
Do. 13 " " " S 65 W. 13 " "
75.16 Intersect the N Boundary of Harrison's Purchase &
set a post for cor. of secs 9 & 16 From which
Beech 9 in dia. brs. S 21 E. 9 links dist; to
Do. 9 " " " N 36 W. 14 " "
Land level & good for farming; 2nd rate soil
Timber same as last mile.

North Between Secs 8 & 9 T. No. 11 N.R. 3 W V. T. 40

T. No. 11. N. R. No. 3 W. 2nd Mer. Land

40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 8 in dia. bears N 75 W. 20 links dist; a Do. 8 " " " N 75 E. 7 " "
55.45	Intersects the N Boundary line of Harrison's Purchase and set a post for the cor. of sec. 8. & 9 from which a Sugar. 7 in dia. bears N 87 E. 20 links dist; a Beech 7 " " " S 69 W. 28 " " Land hilly and timber same as last mile.
West 40.00	Between Sec 8. & 17 T. No. 11. N. R. No. 3 W. Set a post for the cor. of 1/4 sec. from which a Beech. 8 in dia. bears S 40 W. 6 links dist; a Sugar. 20 " " " S 19 E. 24 " "
80.00	Set a post for the cor. of sec. 7. 8. 17 & 18 from which a Beech. 24 in dia. bears East 19 links dist; a Do 7 " " " N 53 W. 34 " " Land hilly and broken. Timber Beech Sugar. Poplar. &c &c 2nd rate Land.
West 40.00	Between Sec 7. & 18 T. No. 11. N. R. No. 3 W. W 6 1/2 Set a post for the cor. of 1/4 sec. from which a Beech 12 in dia. bears N 70 W. 20 links dist; a Do. 18 " " " S 70 E. 28 " "
69.03	Intersects the N. Shore 13 links N. of the Post cor. of Sec. 12 & 13. T. No. 11. N. R. No. 4 W. and set a post for the cor. of sec 7. & 18 from which a Beech. 14 in dia. bears S 28 W. 25 links dist; a Ironwood 9 " " " N 42 W. 14 " " Land & soil and timber same as last mile.
North 40.00	Between Sec. 7 & 8 T. No. 11. N. R. No. 3 W. W. 6 40 Set a post for the cor. of 1/4 sec. from which a Beech. 7 in dia. bears N 25 E. 5. links dist; a

T. N°. 11. S. R. N°. 3 W. 2nd Mer. Ind.

80.00	R. Oak 27 lks dist. bears. S. 21 W. 16 links dist; a Set a post for the cor. of sec. 5. 6. 7 & 8. From which Beech 9 in dia. bears. S. 87 E. 9 links dist; a Do. 7 " " " S. 51 W. 11 " " Sand soil and timber same as last mile.
West 40.00 6.78	Between Sec. 6 & 7 T. N°. 11. S. R. N°. 3 W. v. 63.00 Set a post for the cor. of 1/4 sec. From which Sugar 9 in dia. bears. East 21 links dist; a W. Ash 27 " " " West 29 " " Intersect the N. B. L. 3 links South of the post cor. of sec. 6 & 7 T. N°. 11. S. R. N°. 4 W. and set a post for the cor. of sec. 6 & 7 From which a Beech 9 in dia. bears S. 78 E. 5 links dist; a Do. 6 " " " N. 44 W. 20 " " Sand soil and timber same as last mile.
North 35.00	Between Sec. 5 & 6. T. N°. 11. S. R. N°. 3 W. v. 65.40 Intersect the N. Boundary of Harrison's Purchase and set a post for the cor. of sec. 5 & 6. From which a Sugar 18 in dia. bears. East 14 links dist; a Beech 9 " " " S. 42 W. 34 " "
East 40.00 4.27	Between Sec. 5 & 8. T. N°. 11. S. R. N°. 3 W. Set a post for the cor of 1/4 sec. From which a Dogwood 7 in dia. bears S. 43 E. 7 links dist; a Beech 15 " " " S. 88 W. 21 " " Intersect the N. Boundary of Harrisons Purchase & set a post for the cor. of sec. 5 & 8 From which a Beech 6 in dia. bears N. 72 E. 3 links dist; a Do 7 " " " N. 61 W. 28 " " Same soil and timber same as last mile

T. N°. 11. N. R. N°. 3 W. 2nd. Mer. Indª.

North	On a Random line between Sec. 17 & 18 T. N°. 11. N. R. N°. 3 W.
40.00	Set a temp.y Post for the cor. of 1/4 sec. V. T. 15
79.77	Intersect the E & W. mile 20 links East of the Post cor. of sec. 7, 8, 17, 18
	Surface hilly or broken land; 2nd. rate dist. Timber Beech, Sugar, Ash, Poplar &c.

South	On the true line between Sec. 17 & 18. T. N°. 11. N. R. N°. 3 W.
39.88	Set the temp.y Post at the corr. dist. on the true line for the cor. of 1/4 sec. from which
	Beech 9 in. dia. bears S. 24 E. 18 links dist.; Ra.
	Do 18 " " " N. 11 W. 4 " "
79.77	To the Post cor. of sec. 17. 18. 19. 20
	Surveyed by
	William Harris D.S.

North	Between Sec. 5 & 6. T. N°. 11. N. R. N°. 3 W.
	From the N. Boundy. line of Harrisons purchase
3.50	To a Poplar 66. in. dia. Stands in the line.
5.00	Set a post for the cor. to 1/4 sec. from which
	Wych. 36 in. dia. bears N. 75 W. 3 links dist.; Ra.
	Sugar 14 " " " S. 86 E. 14 " "
44.38	Intersect the N. Boundy. of ch. 883 links East of
	the Post cor. of sec. 31 & 32 T. N°. 12 N. R. N°. 3 W. t.
	Set a post for the cor. of sec. 5 & 6. from which
	Ironwood 4 in. dia. bears N. 9 W. 11 links dist.; Ra.
	Beech 3 " " " S. 11 E. 8 1/2 " "
	Eight trees to the above line dead mile on
11.73	Iron Beech 24 in. dia. Stands in the line
39.50	To a Red Oak 48 in. dia. Stands in the line.
	Ground broken Timber Beech & Oak.

North	Between Sec. 8 & 9 T. N°. 11. N. R. N°. 3 W.

T. N° 11. N.R. N. 3W. 2nd Mer. Land's

0.23	Iron Ash. 36 in. dia. Stands in the line
11.80	" " " 30 " " " " " "
24.55	Set a post for the cor. of sec. 4. 5. 8. & 9 from which Hogwood 6 in. dia. bears N66½ W. 5 links dist; Iron Beech 13 " " " S3E. 30 " " Sandersling; Mich. Timber Beech, Ash, Sugar Poplar, & Walnut. B.T. Spur.
West 33.40	On a Random line between Sec. 5 & 8. T. N° 11. N.R. 3W. Intersected the N Boundary line of Harrison's Purchase 44. links N.W. of the cor. of Fract. Sec. 5 & 8. Sandersling and 2nd rate; Timber Beech Ash Oak & Hickory B.T. Spur, Hogwood Beech &c
East 33.03	On Section line between Sec. 5 & 8 T. N° 11. N.R. N. 3W To the cor. of sec. 4. 5. 8 & 9
North 2.17	Between Sec. 4 & 5 T. N. 11. N.R. N° 3W. Iron Beech 24 in. dia. in the line.
11.50	" " " 18 " " " " " "
40.00	Set a post for the cor. of 4 sec. from which Sugar 10 in. dia. bears N 11 E. 27 links dist; Iron Beech 23 " " " S3½ W 20 " "
49.25	Iron Ash 24 in. dia. Stands in the line.
66.12	" " Poplar 60 " " " " " "
77.88	Intersect the N Boundary 7. 11 ch. East of the post cor. of sec. 32 & 33 T. N° 12 N.R. N° 3W & Set a post for the cor. of sec. 4 & 5 from which Hickory 14 in. dia. bears S34½ W. 25 links dist; Iron Beech 10 " " " N56 E. 26 " " Sandersling and 2nd rate, Timber Beech, Poplar Ash & Sugar. B.T. Spur.

T. N° 11. N. R. N° 3 W. 2nd. Mer. Lines

North	Between Sec. 15 & 16 T. N° 11. N. R. N° 3 W.
	Begun in line of Harris's Purchase
2.17	Set a post for the cor. of Sec. 9. 10. 15 & 16 from which
	Sugar 9 in. dia. bears N 11½ E. 26 links dist; Ivy
	Poplar 48 " " " N 33½ E. 37 " "
	Sandhook and a 2nd. rate; Timber Beech Sugar,
	Hickory and Poplar 118 Spans
West	On a Random line between Sec 9 & 16 T. N° 11. N. R. N° 3 W.
3.06.	Intersect the N Bound'y line of Harris's Purchase
	56 links E. East of cor. of Sec 9 & 16. Course of
	Line at right angles with the. Cor. 3.39 chs.
East	On a true line between Sec. 9 & 16 T. N° 11. N. R. N° 3 W.
3.39	To the post cor. of Sec. 9. 10. 15 & 16.
North	Between Sec 9 & 10 T. N° 11. N. R. N° 3 W.
10.40	To a Poplar 16 in. dia. Stands in the line.
30.77	" an ash 20 " " " " " "
40.00	Set a post for the cor. of 4 Sec. from which an
	Ash. 24 in. dia. bears S 54 E. 13 links dist; Ivy
	Beech 18 " " " N 50 W 9 " "
46.85	To an R. Oak. 40 in. dia. Stands in the line.
80.00	Set a post for the cor. of Sec. 3. 4. 9. & 10 from which a
	Beech 5 in. dia. bears. N 83 E. 13 links dist; Ivy
	Do. 6 " " " N 79 W. 11 " "
	Sandrolling 2nd. rate; Timber Beech, Ash, Poplar
	Sugar, Walnut & Oak, 118 Spans &c.
West	On a Random line between Sec. 4 & 9 T. N° 11 N. R. 3 W.
40.00	Set a post temp'y for the cor. of 4 Sec.
78.46	Intersect the N. & S. line 4 links South of the post. cor. of
	Sec. 4. 5. 8 & 9. Nov. 4th 1819.

T. No. 11. N. R. No. 3 W. 2nd. Mer. Iowa

East
39.23 On a true line between Sec. 4 & 9 T. No. 11. N. R. No. 3 W.
Set the temp'y. post at the corn. dist. on the true line.
From the cor. of 4 sec. from which
Sugar 18 in. dia. bears S 48 W. 19 links dist; runs
Ash 18 " " " N 30 E. 12 " "
78.40 At the post cor. sec. 3. 4. 9 & 10.
Sound rolls. 12 no. rate; Timber Beech, Sugar, Pop-
lar & Ash. 100 Spin.

North
10.03 Between Sec. 3 & 4 T. No. 11. N. R. No. 3 W.
32.56 To a Sugar 18 in. dia. stands in the line.
40.00 " " Beech 15 " " " " " "
44.44 Set a post for the cor. of 1/4 sec. From which
Beech 9 in. dia. bears S 35 E. 21 links dist; runs
Do 15 " " " N 28 W. 26. " "
46.31 To an Ash, 20 in. dia. stands in the line.
Intersect the N Boundary 5.15 ch. East of the post
cor. of sec. 33. & 34 T. No. 12. N. R. No. 3 W. and set
a post for the cor. of sec. 34 T. No. 11. N. R. No. 3 W.
From which Beech 10 in. dia. bears N 84 W. 8 links dist;
and a Do. 16 " " " S 39 E. 36 " "
Sound rolls. 2nd. rate; Timber Beech, Sugar, Oak
Ash, Poplar & Hickory; 11. 8. Spin.

North
4.04 Between Sec. 14 & 15 T. No. 11. N. R. No. 3 W.
To a Sugar 12 in. dia. stands in the line.
22.67 Set a post for the cor. of 1/4 sec. From which
Sugar 13 in. dia. bears N 34 W. 23 links dist; 1/2
Beech 8 " " " S 52 E. 25 " " "
31.50 To a Sugar 11 in. dia. stands in the line.
80.00 Set a post for the cor. of sec. 10. 11. 14 & 15 From which
Beech 12 in. dia. bears N 7 W. 27 links dist;
Do 6 " " " S 83 E. 9 " "

T. N.o 11. N. R. N.o 3 W. 2nd Mer. Ind.a

Timber Beech Sugar, Poplar Hickory, Ash. Oak, & Elm

West	On a Random line between Sec. 10 & 15 T. N.o 11. N. R. N.o 3 W.
40.00	Set a temp.y Post for the cor. of 1/4 Sec.
77.56	Intersect the N. & S. Mile. 1.13 links N. of the post cor. of Sec. 9. 10. 15 & 16. Sand & hard and de 2d rate; Timber Beech. Oak. Ash, Hickory, Poplar, & Elm all.
East	On the true line between Sec. 10 & 15 T. N.o 11. N. R. N.o 3 W.
38.28	Set the temp.y Post at the aforesaid ditch on the true line for the cor. of 1/4 Sec. from which a Beech 20 in. diam. bears S. 68 W. 14 links dist; & a Sugar. 7 " " " N. 66 E. 28 " "
77.56	To the post cor. of Sec. 10. 11. 14 & 15.
North	A Between Sec. 10 & 11 T. N.o 11 N. R. N.o 3 W.
9.54	To a Beech 14 in. diam. stands in the line.
40.00	Set a post for the cor. of the Sec. from which a Beech 18 in. diam. bears S. 84 E. 26 links dist; & a Sugar. 6 " " " N. 84 W. 11 " "
40.28	To a Beech 30 in. diam. stands in the line.
73.97	" " " 36 " " " " " "
80.00	Set a post for the cor. of Sec. 2 3. 10 & 11 from which a Sugar. 4 in. diam. bears S. 86 E. 17. links dist; & a Beech 15 " " " N. 76 W. 8 " " Sand & rolling and de 2nd rate; Timber Beech. Sugar. Ash, Poplar, Hickory and Oak. All Elm.
West	On a Random line between Sec. 3 & 10 T. N.o 11. N. R. N.o 3 W.
40.00	Set a temp.y Post for the cor. of 1/4 Sec.
54.00	To a Spring; Course N. N. of the line.
77.27	Intersect the N. & S. Mile 2.00 links N. of the post cor. of Sec. 3. 4. 9 & 10 Sand & roll & 2d rate; Timber Beech

T. N.° 11. N.R. N.° 3W. 2.nd Mer. Ind.a

Sugar. Ash & Poplar, Walnut, Honey Locust & Oak, U.S. Surv.

East
38.63½ On the true line between Sec. 3 & 10 T. N.° 11. N.R. N.° 3W.
Set the stone Post for the cor. of 14 sec. Eff the corr. dist on the true line from which
Beech 33 in. dia: bears N40°E. 10 links dist; & a
Sugar. 5 " " " S6½ W. 16 " " "
7.27 To the Post cor. of sec. 2. 3. 10. & 11.

North
9.65 Between Sec. 2 & 3. T. N.° 11. N.R. N.° 3W.
To a Beech 24 in dia: Stands in the line.
33.10 " " Sugar. 15 " " " " " "
40.00 Set a post for the cor. of 14 sec. from which
Beech 24 in. dia: bears S.E. & 31 links dist; & a
Sugar 19 " " " N37W. 46 " "
40.70 To a Beech. 30 in. dia: Stands in the line.
68.70 " " Do. 14 " " " " " "
73.26 Intersect the N. Boundary 25 links East of the Post cor of sec. 34 & 35 T. N.° 12 N.R. N.° 3W. and set a post for the cor. of sec. 2 & 3. from which
Beech 13 in. dia: bears N.° 5 E. 16 links dist; & a
Do. 12 " " " S.16 E. 48 " "
Land rod 18. 2.nd rate; Timber Sugar, Beech Ash, Walnut & Poplar. U.S. Surv.r Pawpaw.
November 5.th 1819

North
1.34 Between Sec. 23 & 24 T. N.° 11. N.R. N.° 3W.
Set a post for the cor of 14 sec. from which
Beech. 20 in. dia: bears N62W. 19 links dist; & a
Do. 18 " " " S89E. 38 " "
9.09 To a Beech 28 in dia: Stands in the line.
35.05 " " Do. 13 " " " " " "
41.34 Set a post for the cor. of sec. 13. 14. 23 & 24 from which

T. N°. 11. N. R. N°. 3 W. 2nd Mer. Ind.a.

	an Elm 7 in diam. bears N 13 E. 26 links dist.; Tree
	do. 9 " " " S 17 W. 31 " "
	Land broken and very rich; Timber Hackberry,
	Sugar, Ash, Beech, Walnut & Elm. All Stone & Pawpaw
West	Chas Ransom Mile between Sec. 14 & 23. T. N°. 11. N. R. 3 W.
29.80	Ira Brook 38 links mid. Creek S.
40.00	Set a post (Stone pits) for the cor. of 14 & 23.
56.79	Intersected the N. Boundary of Harrison's Purchase
	S. E. of the cor. of Sec. 14 & 23.; said cor being 35 links
	in a direct North course missing the line 21 cor.
	57.37 ch. Land broken and 2nd. rate; Timber
	Sugar, Ash, Beech, Poplar, &c.
East	On a true line between Sec. 14 & 23. T. N°. 11. N. R. N°. 3 W.
17.10 p	Set a post for the cor. of 14 & 23 at the corn. which on the true
	line from which a
	Beech 5 in diam. bears S 53 E 4 links dist.; Tree
	do 12 " " " S 76½ W. 18 " "
58.76	To the post cor. of sec. 13, 14, 23, & 24
East	Between Sec. 24 & 25. T. N°. 11 N. R. N°. 3 W.
7.69	Ira N. Walnut 18 in diam. stands in the line.
28.70	Intersected the East Boundary 67. links N. of the
	Post cor. of sec. 24 & 25. and set a post for the cor. of
	sec. 24 & 25 from which a
	Sugar 15 in diam. bears N 81 E 33 links dist.; Tree
	Ash. 10 " " " N 88 W. 41 " "
	Land broken with Limestone; 2nd. rate; Timber Sugar
	Beech, Ash, Poplar & Walnut. All Stone Hills
East	Between cor. 13 & 24 T. N°. 11. N. R. N°. 3 W.
20.20	To a Sugar 12 in diam. stands in the line.

T. N°. 11. N. R. N°. 3 W. 2nd. Mer. Ind.a

32.70	To a Beech 15 in. diâ. Stands in the line.
36.50	" " Brook. 8 links wide, Course S. E.
40.00	Set a post for the cor. of ¼ sec. from which a Beech 20 in. diâ. bears N 79 W. 22 links dist.; & a Do. 36 " " " N 69 E. 45 " "
48.50	To a B. Walnut 15 in. diâ. Stands in the line.
57.10	" " Brook. 18 links wide, Course S.
76.59	" " W. Walnut 16 in. diâ. Stands in the line.
80.99	Intersect the East Boundy. 104 links N. of the post cor. of Sec. 13 & 24 and set a post. from which a Elm 12 in. diâ. bears N 27 W. 8 links dist.; & a Walnut 13 " " " S 59½ W. 11 "
	Land Pt. ly broken; 2nd. ly rolling & 2nd. rate) Timber Sugar, Beech, Walnut, Poplar Hackberry & Ly. Spice.

North	Between Sec. 13 & 14 T. N°. 11. N. R. N°. 3 W.
6.93	To a Beech 24 in. diâ. Stands in the line.
40.00	Set a post for the cor. of ¼ sec. from which a Beech 32 in. diâ. bears N 84½ W. 19 links dist.; & a Sugar 9 " " " N 39 E. 12 " "
41.92	To a Beech 24 in. diâ. Stands in the line.
68.00	" " Brook. 16 links wide, Course S. W.
75.00	To a Spring East of line. Course S. E.
80.00	Set a post for the cor. of Sec. 11. 12. 13 & 14 from which a Beech 24 in. diâ. bears S 62 E. 20 links dist.; & a Do. 21 " " " N 21½ W. 27 " "
	Lands broken & 2nd. rate; Timber Beech, Sugar & Ash. Poplar & Oak. Ly. Spice.

West	On a Random line between Sec. 11 & 14 T. N°. 11. N. R. 3 W.
39.46	To a Brook 35 links wide, Course S.
40.00	Set a temp. post for the cor. of ¼ sec.

T. N.o 11. N.R. N.o 3 W. 2nd Mer. Iowa

79.78	Intersect the N & S line, 6 links South of the post cor. of sec. 10. 11. 14 & 15 Sands 8 ft. p. bottom unde 2nd. rate; 2nd. p. broken with Link holes. Timber Beech Sugar Ash. Oak and Poplar, &c.
East 39.89	On the true line between Sec. 11 & 14 T. N.o 11. N.R. 3 W. Set the temp.y post at the corn. dicts on the true line For the cor. of 1/4 sec. from which B. Walnut 7 in. diam. bears. N 78 W. 20 links dists; to W. Oak 4 " " " " S 88 E. 28 " "
79.78	To the post cor. of sec. 11. 12. 13 & 14. Nov. 6th 1819

East 12.86	Between Sec 12 & 13. T. N.o 11. N.R. N.o 3 W. To a Beech 20 in. diam. stands in the line
34.30	" " " 10 " " " " " " "
40.00	Set a post for the cor. of the 1/4 sec. from which a Sugar 15 in. diam. bears. N 26 W. 8 links dists; to a Beech 6 " " " S 35 W. 21 " "
49.25	To a Beech 23 inches diam.; stands in the line
70.87	" " " 13 " " " " " "
81.32	Intersect the East Boundary 45 links South of the post cor. of sec. 12 & 13. unde set a post from which a Beech 24 in. diam. bears N 57 E. 18 links dists; to a " 30 " " " S 21 W. 49 " "
	Sands 8 ft. p. mile broken unde 2nd rate; 2nd. p. rolling 3rd. rate; Timber Beech Sugar. Poplar. Hick.y, Elm & Sycamore. Uf.

North 16.13	Between Sec 11 & 12 T. N.o 11. N.R. N.o 3 W. To a Poplar. 24 in. diam. stands in the line.
34.37	" " Beech 20 " " " " " "

T. N°. 11. N.R. N°. 3. W. 2nd. Mer. (Ind.y

40.00	Set a post for the cor. of ¼ sec. From which a Sugar. 15 in. dia: bears N 48 W. 11 links dist; & a Do. 14 " " " S 36 E. 24 " "
43.13	To a Beech 22 in. dia: bears in the line.
75.56	" " Do. 13 " " " " " "
80.00	Set a post for the cor. of sec. 1. 2. 11, & 12 From which a Sugar. 24 in. dia: bears N 54 W. 12 links dist; & a Beech. 16 " " " S 46 E. 30 " " Land 1st rate mile land lands; 2nd & 3rd rate Land: Beech, Poplar, Sugar, & Walnut. All Spice
West	On a Random line between Sec. 2 & 11 T. N°. 11. N.R. 3 W.
40.00	Set a temp'y post for the cor. of ¼ sec.
79.56	Intersect the N. bdy line 4 links South of the post cor. of sec. 2, 3, 10 & 11 Land broken and 2nd. rate; Timber Beech. Sugar and Poplar. All Spice.
East	On a true line between Sec. 2 & 11 T. N°. 11. N.R. 3 W.
39.78	Set the temp'y post at the river. thence in the true line for the cor. of ¼ sec. From which a Beech. 24 in. dia: bears S 55 E. 27 links dist; & a Sugar. 20 " " " N 39 W. 23 " "
79.56	To the post cor. of sec. 1. 2. 11 & 12.
East	Between Sec. 1 & 12 T. N°. 11. N.R. N°. 3 W.
3.63	To a Beech. 32 in. dia: Stands in the line.
35.45	" " Do. 28 " " " " " "
40.00	Set a post for the cor. of ¼ sec. From which a Ash 36 in. dia: bears S 32 W. 25 links dist; & a Walnut 18 " " N 49 E. 38 " "
47.83	To an Ash. 20 in. dia: Stands in the line.
71.23	" a Beech. 12 " " " " " "

T. No. 11. N.R. No. 3 W. 2nd Mer. Ind.

80.82	Intersect the East Boundary 140 lks South of the Post cor. of Sec. 1 & 12 and set a post from which a Beech 21 in. diar. bears N 26 W. 14 links dist; its Do. 12 " " " N 71 E. 18 " " Say & rolling 2 & 2nd rate; Timber Beech Ash, Sugar & Poplar. All Sd.
North 4.63	Between Sec. 1 & 12 T. N. 11. N. R. N. 3 W.
32.39	Set Beech 8 in. diar. Mounds on the line.
40.00	" " Sugar 20 " " " " " "
	Set a post for the cor. of 1/4 Sec. from which a W Walnut 20 in. diar. bears. S 19 W. 11 links dist; its North 11 Link diar " N 14 E. 55 " "
48.60	To an Elm 13 in. diar. Mounds on the line.
66.11	To an Ash. 20 in. " " " " "
2/4 11	Intersect the N Boundary 53 links East of the Post cor. of Sec. 25 & 36. T. N. 12. N.R. N. 3 W. and set a post for the cor. of Sec. 1 & 12 from which a Beech. 8 in. diar. bears S 35 E. 25 links dist; & a Hackberry 18 " " " N 67 W. 17 " " Sandy hilly and rich; 2nd rate; Timber Beech. Ash Poplar, Walnut & Sugar, All Sd. Nov. 8. 1840.

Surveyed by
John Milroy D.S.

I certify that the foregoing transcript of the Field Notes of Township No. 11. North of Range No. 3 West of the 2nd Mer. Indiana, has been Compared with the Original notes in this Office and found to be correct

Surveyor Genrals Office,
Cincinnati, Dec. 21st 1840

E. S. Hains
Sur. Genl.